



## Technical Data Sheet

### Hermes Clear Braided PVC



---

#### **Product Information**

Order Ref: STANDARD - CBP-IZE

-MM / HEAVY - HDCBP-SIZE-MM

Tube: TRANSPARENT PLASTI CIZED PVC, LOW TOXIC ODOURLESS PVC

Reinforcement: HIGH TENSILE POLYESTER FIBRES

Cover: ABRASION, OZONE AND WEATHER RESISTANT TRANSPARENT PVC

Application: LIGHT DUTY HOSE FOR MULTIPURPOSE USE, GENERAL WATER DISCHARGE AND LOW PRESSURE AIR LINES. SUITABLE FOR FOOD AND WATER



Branding:

Colour:

-15°C to +60°C

HERMES - NON TOXIC - SIZE

CLEAR - AVAILABLE IN OTHER COLOURS PLEASE CONTACTSALES OFFICE

**Rubber Seals & Gaskets**

[www.rubbersealsandgaskets.com](http://www.rubbersealsandgaskets.com)










Diyak Ltd.

Visit us online

Call our sales team today 0044 7832353304



# RUBBER SEALS & GASKETS

	 ID	 OD	 WP	 WP	 BP	 BP	 BR	 W/A	 COIL
Inch	mm	mm	BAR	PSI	BAR	PSI	mm	gr/mt	mt
STANDARD DUTY									
1/4	6.3	10.5	10	150	30	450	30	73	30
5/16	8	12	10	150	30	450	40	80	30
3/8	10	14	10	150	30	450	50	99	30
1/2	12.5	17.5	10	150	30	450	60	152	30
5/8	15.9	21	10	150	30	450	80	197	30
3/4	19	24	10	150	30	450	95	240	30
1	25	31	10	150	30	450	125	367	30
1 1/4	32	40	10	150	30	450	208	576	30
1 1/2	38	46	10	150	30	450	247	632	30
2	50	60	10	150	30	450	325	1104	30

HEAVY DUTY									
1/4	6.3	11.4	14.25	210	57	840	92		30
5/16	8	13.2	12.25	180	49	720	101		30
3/8	9.25	16	11.25	165	45	660	112		30
1/2	12.5	18.2	10.5	154	42	616	152		30
5/8	15.9	23	10	150	40	600	161		30
3/4	19	25.6	10	150	40	600	177		30
1	25	32.6	10	150	40	600	254		30

**Rubber Seals & Gaskets**

[www.rubbersealsandgaskets.com](http://www.rubbersealsandgaskets.com)

Diyak Ltd.

Visit us online

Call our sales team today 0044 7832353304



**Rubber Seals & Gaskets**  
[www.rubbersealsandgaskets.com](http://www.rubbersealsandgaskets.com)  
Diyak Ltd.

Visit us online

Call our sales team today 0044 7832353304