



## Technical Data Sheet

### Vulcano Pu HDS-15

Ester based Polyurethane duct reinforced with a PU coated copper coloured steel spiral. Smooth inside to ensure optimization of flow properties. Constant Wall thickness of 1.5mm throughout the range.

The PU-coated spiral allows a better adhesion and more bending sessions. Strong but very flexible even at low temperatures, is suitable for heavy duty applications where a very good abrasion resistance is required. Resistant to abrasion and most chemicals. Halogens free conform to RoHS and phthalates free.





## RUBBER SEALS & GASKETS

PART NuMBER	Ø ins	Min wall thick.	weight	vacuum	Bending R.	Coil Lgth.	Vol.
VC 01 038.0 000.0	38	1,5	505	9,5	40	10/20	0,074
VC 01 040.0 000.0	40	1,5	530	9,5	50	10/20	0,077
VC 01 045.0 000.0	45	1,5	590	9,0	50	10/20	0,090
VC 01 050.0 000.0	50	1,5	650	9,0	60	10/20	0,099
VC 01 051.0 000.0	51	1,5	660	9,0	60	10/20	0,106
VC 01 060.0 000.0	60	1,5	770	8,5	70	10/20	0,122
VC 01 063.0 000.0	63	1,5	805	8,0	70	10/20	0,148
VC 01 070.0 000.0	70	1,5	1000	7,5	80	10/20	0,165
VC 01 076.0 000.0	76	1,5	1080	7,0	90	10/20	0,232
VC 01 080.0 000.0	80	1,5	1135	6,0	90	10/20	0,254
VC 01 100.0 000.0	100	1,5	1405	4,0	120	10/15	0,281
VC 01 102.0 000.0	102	1,5	1430	3,5	120	10/15	0,286
VC 01 110.0 000.0	110	1,5	1540	3,2	130	10/15	0,307
VC 01 120.0 000.0	120	1,5	1675	3,0	140	10/15	0,356
VC 01 127.0 000.0	127	1,5	2070	2,9	150	10/15	0,405
VC 01 130.0 000.0	130	1,5	2120	2,6	150	10/15	0,414
VC 01 140.0 000.0	140	1,5	2275	2,4	160	10/15	0,504
VC 01 150.0 000.0	150	1,5	2435	2,0	170	10/15	0,537
VC 01 152.0 000.0	152	1,5	2465	2,0	170	10/15	0,544
VC 01 160.0 000.0	160	1,5	2590	1,8	180	10/15	0,662
VC 01 180.0 000.0	180	1,5	2770	1,5	210	10/15	0,855
VC 01 200.0 000.0	200	1,5	3070	1,2	230	10/15	1,130
VC 01 203.0 000.0	203	1,5	3115	1,2	230	10/15	1,146
VC 01 250.0 000.0	250	1,5	3815	0,8	290	10	1,170

**Rubber Seals & Gaskets**  
Diyak Ltd.

Visit us online [www.rubbersealsandgaskets.com](http://www.rubbersealsandgaskets.com)  
Call our sales team today 0044 7832353304



VC 01 254.0 000.0	254	1,5	3875	0,8	290	10	1,188
VC 01 305.0 000.0	305	1,5	5570	0,7	350	MAX 10 m*	

**Rubber Seals & Gaskets**  
Diyak Ltd.

Visit us online [www.rubbersealsandgaskets.com](http://www.rubbersealsandgaskets.com)  
Call our sales team today 0044 7832353304